SUNY Buffalo State University

Digital Commons at Buffalo State

HIV/AIDS Educational Material

HIV/AIDS Collections

9999

Facts You Should Know

Western New York AIDS Program

Follow this and additional works at: https://digitalcommons.buffalostate.edu/hivaidsedu

Part of the Feminist, Gender, and Sexuality Studies Commons, History Commons, and the Museum Studies Commons

Recommended Citation

Western New York AIDS Program, "Facts You Should Know" (9999). *HIV/AIDS Educational Material*. 3. https://digitalcommons.buffalostate.edu/hivaidsedu/3

This Book is brought to you for free and open access by the HIV/AIDS Collections at Digital Commons at Buffalo State. It has been accepted for inclusion in HIV/AIDS Educational Material by an authorized administrator of Digital Commons at Buffalo State. For more information, please contact digitalcommons@buffalostate.edu.

HIV Counseling and Testing Hotline Numbers

BUFFALO (716) 847-4520
Albany (518) 457-7152
New Rochelle (914) 632-4133
Rochester (716) 423-8081
Syracuse (315) 428-4736
Nassau (516) 535-2004
Suffolk (516) 348-2999


FOR SUPPORT SERVICE OR INFORMATION ON AIDS


BUFFALO AREA (716) 847-2437

Funds for the printing of this brochure were made available through private contributions from the WNY community.

Western New York AIDS Program

220 Delaware Avenue. / Suite 512 Buffalo, New York 14202





Facts You Should Know About



Western New York AIDS Program
220 Delaware Avenue / Suite 512
Buffalo, New York 14202
(716) 847-2437

- HIV (Human Immunodeficiency Virus) is the virus associated with AIDS (Acquired Immune Deficiency Syndrome).
- Anyone who is sexually active or shares needles or other intravenous drug equipment is at risk of being exposed to and infected with HIV. Newborn babies are at risk of being born with HIV if their parents are infected.
- The HIV antibody test is NOT a test for AIDS. It can tell if you have been infected with HIV.



- A positive HIV antibody test result does not necessarily mean that you will develop AIDS. However, an infected person can infect others through unsafe sexual contact and by sharing needles or other intravenous drug equipment. Infected parents can pass the virus on to their unborn children. HIV is transmitted through blood to blood or semen to blood contact.
- A negative HIV antibody test result does not necessarily mean that you have not been infected with HIV or that you cannot develop AIDS. If you have had recent contact with HIV your body may not have developed antibodies yet. It is suggested that you wait 4 to 6 months after your last possible exposure before having the HIV antibody test.

- The New York State Department of Health HIV Alternate Site clinics provide FREE and ANONYMOUS counseling and HIV antibody testing. You will not have to give your name or any other identifying information. The counselor will give you a code number if you decide to be tested.
- Referrals for medical evaluation and psychosocial supports can be provided by the HIV alternate site counselors. You can call the HIV hotline in your region for counseling and information about the nearest HIV alternate site clinic.

